

DCN-DISDCS Discussion Unit with Dual Channel Selector

www.boschsecurity.com



BOSCH
Invented for life



- ▶ Low susceptibility to mobile phones
- ▶ Compact, attractive and ergonomic design
- ▶ Pluggable microphone
- ▶ Two channel selectors with number and abbreviated channel name
- ▶ Built-in loudspeaker

The Discussion Unit with Dual Channel Selectors enables participants to speak, register a request-to-speak and listen to the speaker. A socket is provided to connect a pluggable microphone. The unit has two built-in channel selectors with headphone connections with individual volume controls on either side of the unit, allowing one unit to serve two delegates. The channel selectors make it suitable for discussions in which more than one language is used and simultaneous interpretations are available. Each of the channel selectors includes up and down channel select keys and a display showing the number and the abbreviation of the channel name, enabling rapid selection of the required language channel.

Functions

- Headphone output level reduction to prevent acoustic feedback (active when listening to the floor and when the microphone is on). When unit is used in Dual Delegate mode, this function is available individually

- The unit can be a full dual use unit by replacing the microphone button with two separated microphone buttons for individual microphone control and individual delegate identification (DCN-DISBDD dual use buttons, to be ordered separately)
- The built-in loudspeaker is muted when the microphone is on to prevent acoustic feedback.
- Two lengths of microphones are available (DCN-MICS and DCN-MICL, to be ordered separately)
- Different colored rims are available to allow matching with the interior, (DCN-DISR, to be ordered separately)
- The unit can be used as a single delegate unit, as a dual delegate unit, as a chairman unit (DCN-DISBCM chairman buttons, to be ordered separately) or as a single delegate unit with an auxiliary button
- The versatile auxiliary button can be used as an usher call, for example
- To lock the loop-through cable, a cable clamp is available (DCN-DISCLM, to be ordered separately)
- The unit is available in light and dark colored bases

Controls and Indicators

- Two alphanumeric displays for language channel selection with number and abbreviated channel name

- Microphone button with a red, green or yellow illuminated ring. Red indicates microphone is active, green indicates request-to-speak accepted, and yellow indicates 'VIP'(when unit is used in Dual Delegate mode, this function is available individually)
- VIP indicator is lit when the delegate is part of the notebook (only available if PC Software is used)
- Two individual headphone volume control buttons
- Recessed 'De-init' switch

Interconnections

- Socket for pluggable microphone
- Two 3.5 mm (0.14 in) stereo jack type headphones sockets
- 2 m (78.7 in) cable terminated within a molded six-pole circular connector.
- Six-pole circular connector for loop-through connections

Certifications and approvals

Region	Certification
Europe	CE

Technical specifications

Electrical

Frequency response	30 Hz to 20 kHz
Headphone load impedance	> 32 ohm < 1k ohm
Output power	2 x 15 mW/32 ohm

Mechanical

Mounting	Tabletop (portable or fixed mounting) and flush mounting
Dimensions (H x W x D)	(without microphone)
Tabletop	61 x 190 x 116 mm (2.4 x 7.5 x 4.6 in)
Flush mounted	6 x 190 x 120 mm (0.2 x 7.5 x 4.7 in)
Weight	800 g (1.76 lb)
Color top	Silver (RAL 9022)
Color base	
DCN-DISDCS-L	Light Grey (RAL 000 7500)
DCN-DISDCS-D	Charcoal (PH 10736)

Ordering information

DCN-DISDCS-L Discussion Dual Channel Selector Light pluggable microphone, light base, microphone and rims to be ordered separately
Order number **DCN-DISDCS-L**

DCN-DISDCS-D Discussion Dual Channel Selector Dark pluggable microphone, dark base, microphone and rims to be ordered separately
Order number **DCN-DISDCS-D**

DCN-MICS Pluggable Short Microphone
length 310 mm (12.2 inch), silver
Order number **DCN-MICS**

DCN-MICL Pluggable Long Microphone
length 480 mm (18.9 inch), silver
Order number **DCN-MICL**

DCN-DISRH-SR Rim High Gloss Silver (10 pcs)
silver, high gloss, 10 pieces
Order number **DCN-DISRH-SR**

DCN-DISR-SR Rim Silver (10 pcs)
silver, 10 pieces
Order number **DCN-DISR-SR**

DCN-DISR-D Rim Dark (10 pcs)
dark, 10 pieces
Order number **DCN-DISR-D**

DCN-DISRMH Rim Metal High Gloss (10 pcs)
metal, high gloss, 10 pieces
Order number **DCN-DISRMH**

DCN-DISRMS Rim Metal Semi Gloss (10 pcs)
metal, semi gloss, 10 pieces
Order number **DCN-DISRMS**

DCN-DISBCM Buttons Chairman (10 sets)
10 sets
Order number **DCN-DISBCM**

DCN-DISBDD Buttons Dual Use (10 sets)
10 sets
Order number **DCN-DISBDD**

DCN-DISCLM Cable Clamp (25 pcs)
25 pieces
Order number **DCN-DISCLM**

Represented by:

Americas:

Bosch Security Systems, Inc.
12000 Portland Avenue South
Burnsville MN 55337, USA
Phone: +1-800-392-3497
Fax: +1-800-955-6831
audiosupport@us.bosch.com
www.boschsecurity.com

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security
Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
201 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
al.securitysystems@bosch.com
www.boschsecurity.com